UST Extraction Fields June 1, 2012

SQL Name	Type/ Size	Field Description	Field Values / Format	Corresponding Field in Base Offense Table & Derivation Rules
BO_SPEC_CODE_CI TE	X(20)	Specific code citation with paragraphs and sub-paragraphs when applicable. May include a code-cite not actually in the Code of Virginia in the following instances: CFR – Code of Federal Regulations VCC – Type Not Clear VCCs DMV – DMV offense codes In these special cases CCRE_REP must be coded as "I" for Ignore	Default to STATUTE in VCC table. Place paragraphs and sub-paragraphs in VSP format. Nulls not allowed.	SPEC_CODE_CITE
BO_GEN_CODE_CI TE	X(20)	General code citation with title and sections only. May include a code-cite not actually in the Code of Virginia. See examples listed under specific code cite.	Default to STATUTE in VCC table. Remove paragraphs and sub-paragraphs. Nulls not allowed.	GEN_CODE_CITE
ТҮРЕ	X(1)	Identifies crimes defined in law as felony or misdemeanor.	C = Civil. Not a criminal offense. Example: Refusal to take blood or breath ttest. 18.2-268.3 (includes Special Penalty offenses not classified as felony or misdemeanor F = Felony M = Misdemeanor I = Infraction S = Special Penalty – For Type Not Clear VCCs Default to K3CMODR in VCC table. Nulls not allowed.	ТҮРЕ
CLASS	X(1)	Felonies are assigned classes 1-6. Misdemeanors are assigned classes 1-4.	1-6 for felonies. 1-4 for misdemeanors U = Unclassified penalty Default to K3CSERS in VCC table. Nulls not allowed.	CLASS

X(2)	Along with either a general or specific code cite, type, FIPS	0-9, A-Z, special characters	OPTION_CODE
,			
X(1)	Indicates if an offense is reportable to VSP Central Criminal	M = Mandatory – must be reported to CCRE (retain in	CCRE_REP
	Record Exchange.	CCH)	
		N = Non-mandatory - reporting to CCRE is optional	
		(retain in CCH)	
		X = Common invalid statute (not retained in CCH)	
		Nulls not allowed.	
X(5)	Code that identifies the legal authority that created the law.	See FIPS table.	LAW_FIPS
		Default to 998 = state.	_
		Nulls not allowed.	
		997 = Pseudo-code-cites for CFR	
		996 = Pseudo-code-cites for DMV	
		995 = Pseudo-code-cites for VCC	
Date	Date a code cite is effective.	MM/DD/CCYY or blank.	START_DATE
		Use EFFDATE in VCC table without modification.	_
		Nulls not allowed.	
Date	Date a code cite is no longer effective.	MM/DD/CCYY.	END_DATE
		Use RETIREDATE in VCC table. Insert 12/31/2099	_
	11		
X(48)	Short description of the crime defined in each code cite.	Manually assigned in UST.	DESC_48
			_
	Is DNA sample required for this offense?		DNA_IND
	1 1 1		
		N = Not Applicable	
		Nulls not allowed.	1
	X(1) X(5) Date Date	and start date, and Extended_Key the option code is used to uniquely identify a uniform statute table record. X(1) Indicates if an offense is reportable to VSP Central Criminal Record Exchange. X(5) Code that identifies the legal authority that created the law. Link to FIPS table. Date Date a code cite is effective. Date Date a code cite is no longer effective. Note: 12/31/2099 is entered when no end date is applicable.	and start date, and Extended. Key the option code is used to uniquely identify a uniform statute table record. Codes cannot duplicate codes already used by current statute table. Manually assigned in UST. Initially field will be implemented as 1 character but within the next year or two may need to be 2 characters. Nulls not allowed except in General Offense Table where only nulls are allowed. X(1) Indicates if an offense is reportable to VSP Central Criminal Record Exchange. X(1) Indicates if an offense is reportable to VSP Central Criminal Record Exchange. X(2) M = Mandatory — must be reported to CCRE (retain in CCH) X = Common invalid statute (not retained in CCH) I = Ignore/ID only — valid statute (not retained in CCH) I = Ignore/ID only — valid statute (not retained in CCH) I = Ignore/ID only — valid statute (not retained in CCH) C = Court only statute — not an arrestable offense, disposition only. R = Not mandatory in CCH until conviction or deferred — future use. Manually assigned in UST. Nulls not allowed. See FIPS table. Default to 998 = state. Nulls not allowed. 996 = Pseudo-code-cites for CFR 996 = Pseudo-code-cites for DMV 995 = Pseudo-code-cites for VCC MM/DD/CCYY or blank. Use EFFDATE in VCC table without modification. Nulls not allowed. X(48) Short description of the crime defined in each code cite. MM/DD/CCYY. Use RETIREDATE in VCC table. Insert 12/31/2099 when no date is applicable. Nulls not allowed. Manually assigned in UST. When appropriate, UST will use a standard title for each section followed by a colon, followed by more detailed descriptive information. Nulls not allowed. Is DNA sample required for this offense? Is DNA sample required for this offense? A = Upon Arrest C = After Conviction

	X(50)	Accurately sorts charges in table in the same order as the	Calculated field. Base will provide the first 48	BASE: SORT
	()	offnses would appear in the Code of VA.	characters. The 49 th -50 st characters are reserved for the	VARIATION: VarKey
			Extended_Key.	,
			SORT must be unique. However if the General Offenses	
			Extract is combined with the UST Extract there will be	
			duplicate SORT values.	
SORT			Nulls not allowed.	
	X(6)	NCIC offense code.	NCIC values or "repeal".	NCIC_CODE
NCIC_CODE			Nulls not allowed.	
	NA	Not presently used	NA	NA
NCIC_GENERAL			All null.	
	X(6)	Description of offense using Incident Based Reporting	IBR values.	IBR_CODE
		standard offenses.	Nulls not allowed.	
IBR_CODE			NR = Not Reportable	
_	NA	Not presently used	NA	NA
IBR_MODIFIER			All null.	
	X(100)	Links each crime defined in law to the web version of the	Manually assigned in UST.	WEB_LINK
WEB_LINK		statute.	May be null.	
	X(20)	Code cite of the applicable modification statute (such as	Manually assigned in UST.	Variation:ModCodeCite
MOD_CODE_CITE		Attempt, Conspiracy, etc.)	May be null.	
	X(20)	Code cite of the applicable enhanced penalty.	00-06. Always null.	EXTENDED_KEYS:E
EP_CODE_CITE			07 and above. Never null.	PCodeCite
CODE_CITE_ORDE	X(3)	When there is more than one offense, indicates which offense	B, BE, BM, BME, MB or MBE	EXTENDED_KEYS:CI
R		should appear first	Nulls not allowed.	TE_ORDER
	X(1)	Type of modifier offense	Blank, A,B,C,J, P, or S	EXTENDED_KEYS:M
			Blank = Base Offense	OD_IND
			A = Attempt	
			B = Accessory Before Fact	
			C = Conspiracy	
			J = Solicitation of Juvenile	
			P = Principal 2ND	
			S = Solicitation	
MOD_IND			May be null.	
	X(2)	INCLUDED means that the charge of "Attempted" for	Y,N, or blank	ATTEMPT_INCLUDE
		this offense will be charged with this statute.	May be null.	D
		Blank means that "Attempted" is not applicable to this		
		charge and you should never see a charge of		
ATTEMPT_INCLUD		"Attempted" for this charge.		
ED				

CONSPIRE_INCLUD	X(2)	See Attempt-Included	Y,N, or blank	CONSPIRE_INCLUD
ED			May be null.	ED
SOLICITATION_IN	X(2)	See Attempt-Included	Y,N, or blank	SOLICITATION_INCL
CLUDED			May be null.	UDED
	X(2)	See Attempt-Included	Y,N, or blank	P2_INCLUDED
P2_INCLUDED		•	May be null.	_
ACC_BEF_INCLUD	X(2)	See Attempt-Included	Y,N, or blank	ACC_BEF_INCLUDE
ED			May be null.	D
	X(2)	See Attempt-Included	Y,N, or blank	EP_INCLUDED
EP_INCLUDED		•	May be null.	
	X(11)	A code used to identify crimes defined in law to support	Format: XXX-XXXX-XX	BASE:VCC
		research and analysis.	Use VCC's VIEWKEY without modification.	VARIATION:VCC
			999-999-99 = No VCC assigned	
			GEN-0000-00 General Offense – Unable to determine	
			VCC based on code cite + type.	
VCC			Nulls not allowed.	
	X(150)	Provides keywords that can be searched to facilitate look-up	Manually assigned in UST.	KEYWORDS
		routines. Keywords are separated by semicolon. Some	May be null.	
KEYWORDS		assigned, but mostly for future use.		
	Date	Date UST record last updated.	Automatically assigned in UST based on the last date	UPDATE_DATE
UPDATE_DATE			that any of the UST extract fields was updated.	
	X(1)	For historical purposes.	Blank or "IMPORT"	CCH_CODE
			Always null except in the General Offense Extract	
VSP			where IMPORT is allowed	
CCITE_BAR_GUN_P	X(1)	Does this offense prevent a gun purchase	C, D, X	BARRIER_TO_GUN_
URCH			Nulls not allowed	PURCHASE
	X(1)	Is this offense deferred	Y, N	DEFERRED
CCITE_DEFERRED			Nulls not allowed.	
	X(1)	Is this offense required to be included on sex offender	N, S, X – Research Required	SEX_OFFENSE
CCITE_SEX_OFF		registry?	Nulls not allowed	
	X(1)	Is this a violent offense?	Y, N	VIOLENT_OFFENSE
CCITE_VIOL_OFF			Nulls not allowed	
	Numeric	Unique key for base offense	999999	BASE_KEY
	text		Above 800000 for General Offense Extract only.	
BASE_KEY			Nulls not allowed.	
	Numeric	Coupled with BASE_KEY, this will provide a Unique key	00 to 28	VARIATION: VarKey
EXTENDED_KEY	text	for each variation of an offense.	Nulls not allowed.	

MANUAL_UPDATE_ DATE	Date	Date UST record last updated. No longer used.	Manually assigned in UST based on updated made in UST and revisions received in VCC table. Replaced by UPDATE_DATE. May be null.	NA
ORDINANCE_CODE _CITE	X(20)	Code citation for ordinances For future use	Provided by SCV. Not presently included. May be null.	ORDINANCE_CODE_ CITE
CHANGED_FIELD	X(20)	Name of the most significant field that has been changed since the previous release according to the order listed	Blank: No change to any of these fields ADD: Added since the previous UST release. Name of field that was changed since last release TYPE CLASS DESC VCC CCRE_REP START_DATE END_DATE: May be null.	Compared with previous release
SCV_30CHAR_DESC	X(30)	Very short description for use by SCV legacy systems.	Very short text description of offense. Nulls not allowed.	DESC_30
DMV_CODE	X(1)	Code used by DMV for certain driving offneses. Obsolete. No longer maintained.	A to J May be null	DMV_CODE
FIRST_RELEASE	X(5)	Release in which this record first appeared.	YYYYa Will be 2006a for records which first appeared in 2006 or earlier. Nulls not allowed.	FIRST_RELEASE
VSP_SORT	X(50)	For future use: Similar to SORT. Sorts in numerical codecite order but keeps felonies and misdemeanors together within a code-cite.	Calculated field VSP_SORT must be unique. However if the General Offenses Extract is combined with the UST Extract there will be duplicate SORT values. Nulls not allowed.	Calculated field
DMV_REPORTABL E	X(1)	Indicates if an offense is reportable by courts to DMV.	Y = Yes N = No	DMV_REPORTABLE
DMV_CODE_CITE	X(25)	Code cite used in DMV table	Maybe null	DMV_CODE_CITE
PREPAYABLE	Numeric	Contains the amount of the charge if it is prepayable, and contains 0.00 if it is not prepayable	Maybe null	PREPAYABLE
DMV_DESCRIPTIO N	X(48)	Description used by DMV for offenses that are reported to DMV.	Maybe null	DMV_DESCRIPTION